www.pilotchemical.com
9075 Centre Pointe Drive • Suite 400
West Chester, OH 45069

FORMULARY SHEET

Economy-2 Laundry with LAS

INGREDIENT	DESCRIPTION	% w/w
Methocel 856, 1.5%	Hydroxypropyl Methylcellulose	To 100%
Calsoft® L-40	Sodium Linear Alkyl Benzene Sulfonate	12.8
Calfoam® ES-302 2 MAX	Sodium Laureth Sulfate	9.4
Masodol® 91-6	C11 Alcohol Ethoxylate	2.5
Sodium Citrate		1.0

Procedure:

(I) Create a 0.5 wt.% methocel in water solution and heat to between 60 to 80 °C and mix until homogenous.

(II) Add all ingredients in the order listed with continuous mixing. Mix well after each ingredient is added until a clear, smooth, homogenous batch is obtained that is free of lumps and particles.

Typical Properties

Appearance	Clear, colorless
pH	8.5
Viscosity	800
% Solids	12.1

The information and suggestions given are drawn from data we believe to be reliable, but in all cases, the user should check and confirm the suggestions and results in his own use before proceeding further. None of the suggestions or recommendations constitute freedom from any patents that may be existent in the field or be issued.