PILOT® CHEMICAL COMPANY
We're going further®
www.pilotchemical.com
9075 Centre Pointe Drive • Suite 400
West Chester, OH 45069

FORMULARY SHEET

Mid-Tier Laundry with LAS

INGREDIENT	DESCRIPTION	% w/w
Water		To 100%
Calsoft® L-40	Sodium Linear Alkyl Benzene Sulfonate	12.8
Calfoam® ES-302 2 MAX	Sodium Laureth Sulfate	18.9
Masodol® 91-6	C11 Alcohol Ethoxylate	5.0
Aculyn 22	Steareth 20 Methacrylates Copolymer	2.0
Sodium Citrate		1.0
Baypure CX-100	Tetrasodium Iminodisuccinate	1.0
NaOH, 50%		0.3

Procedure:

Add all ingredients in the order listed with continuous mixing. Mix well after each ingredient is added until a clear, smooth, homogenous batch is obtained that is free of lumps and particles.

Typical Properties

Appearance	Clear, colorless
pH	9.6
Viscosity	650
% Solids	17.1

The information and suggestions given are drawn from data we believe to be reliable, but in all cases, the user should check and confirm the suggestions and results in his own use before proceeding further. None of the suggestions or recommendations constitute freedom from any patents that may be existent in the field or be issued.